

WÜRTH ABRASIVES



**WE'RE SANDING
THE SURFACE FOR
ALL YOUR ABRASIVE
NEEDS!**

Würth Baer Supply

Source code: BP2812

INSIDE

Discs, Paper Backed.....	2 - 3
Discs, Film Backed.....	4 - 6
Discs, Cloth and Net.....	6
Discs, Foam Backed.....	7
Backup Pads, 9x11 Sheets.....	8
Sanding Pads, Sponges.....	9
Portable Belts.....	10
Edge Belts.....	11
Wide Belts.....	12 - 13
Belt Cleaners.....	13

5" A/O Discs, C-Weight Paper Back



- Aluminum oxide on latex coated C-weight paper
- Latex coated paper increases disc's flexibility and moisture resistance
- Open coat design provides no load performance
- The right choice for general shop use, fine sanding and heavy stock removal

Packing: PSA discs are flat packed (tabbed) 100 discs per box.

Hook and loop discs are flat packed 50 discs per box.

Sold In: Full box quantities only.

	5" No Hole		5" 5 Hole
Grit	PSA Item#	Hook & Loop Item#	PSA Item#
P60	WWGDP60G-5NH	WWGDV60G-5NH	-
P80	WWGDP80G-5NH	WWGDV80G-5NH	WWGDP80G-5H
P100	WWGDP100G-5NH	WWGDV100G-5NH	WWGDP100G-5H
P120	WWGDP120G-5NH	WWGDV120G-5NH	WWGDP120G-5H
P150	WWGDP150G-5NH	WWGDV150G-5NH	WWGDP150G-5H
P180	WWGDP180G-5NH	WWGDV180G-5NH	WWGDP180G-5H
P220	WWGDP220G-5NH	WWGDV220G-5NH	WWGDP220G-5H
P240	WWGDP240G-5NH	WWGDV240G-5NH	-
P280	WWGDP280G-5NH	WWGDV280G-5NH	-
P320	WWGDP320G-5NH	WWGDV320G-5NH	WWGDP320G-5H
P400	WWGDP400G-5NH	WWGDV400G-5NH	-
P500	WWGDP500G-5NH	-	-
P600	WWGDP600G-5NH	WWGDV600G-5NH	WWGDP600G-5H




↑ No Hole



↑ 5 Hole




↑ 8 Hole



↑ Multi-hole

	5" 5 Hole	5" 8 Hole	5" Multi-Hole
Grit	Hook & Loop Item#	Hook & Loop Item#	Hook & Loop Item#
P80	WWGDV80G-5H	WWGDV80G-5W8H	WWGDV80G-5MH
P100	WWGDV100G-5H	WWGDV100G-5W8H	WWGDV100G-5MH
P120	WWGDV120G-5H	WWGDV120G-5W8H	WWGDV120G-5MH
P150	WWGDV150G-5H	WWGDV150G-5W8H	WWGDV150G-5MH
P180	WWGDV180G-5H	WWGDV180G-5W8H	WWGDV180G-5MH
P220	WWGDV220G-5H	WWGDV220G-5W8H	-
P280	-	WWGDV280G-5W8H	-
P320	WWGDV320G-5H	WWGDV320G-5W8H	-
P400	WWGDV400G-5H	WWGDV400G-5W8H	-
P600	-	WWGDV600G-5W8H	-



6" A/O Discs, C-Weight Paper Back

- Aluminum oxide on latex coated C-weight paper
- Latex coated paper increases disc's flexibility and moisture resistance
- Open coat design provides no load performance
- The right choice for general shop use, fine sanding and heavy stock removal

Packing: PSA discs are flat packed (tabbed) 100 discs per box.

Hook and loop discs are flat packed 50 discs per box.

Sold In: Full box quantities only.



Grit	6" No Hole		6" 6 Hole		6" Multi-Hole
	PSA Item#	Hook & Loop Item#	PSA Item#	Hook & Loop Item#	Hook & Loop Item#
P80	WWGDP80G-6NH	WWGDV80G-6NH	-	WWGDV80G-6H	WWGDV80G-6MH
P100	WWGDP100G-6NH	WWGDV100G-6NH	-	WWGDV100G-6H	WWGDV100G-6MH
P120	WWGDP120G-6NH	WWGDV120G-6NH	WWGDP120G-6H	WWGDV120G-6H	WWGDV120G-6MH
P150	WWGDP150G-6NH	WWGDV150G-6NH	WWGDP150G-6H	WWGDV150G-6H	WWGDV150G-6MH
P180	WWGDP180G-6NH	WWGDV180G-6NH	WWGDP180G-6H	WWGDV180G-6H	WWGDV180G-6MH
P220	WWGDP220G-6NH	WWGDV220G-6NH	WWGDP220G-6H	WWGDV220G-6H	WWGDV220G-6MH
P240	WWGDP240G-6NH	WWGDV240G-6NH	-	-	WWGDV240G-6MH
P280	-	-	-	WWGDV280G-6H	-
P320	WWGDP320G-6NH	-	-	WWGDV320G-6H	WWGDV320G-6MH
P400	-	WWGDV400G-6NH	-	-	WWGDV400G-6MH



PSA (tabbed) version shown

5" S/C Discs, A-Weight Paper Back

- Premium Silicon carbide on latex coated A-weight paper
- Latex coated paper increases disc flexibility and moisture resistance
- Open coat design provides no-load performance
- Designed primarily for lacquer sanding and finely grained wood smoothing
- Perfect for scuff sanding and removing "orange peel" in top coats

Packing: PSA discs are flat packed (tabbed) 100 discs per box. Hook & loop discs are flat packed 50 discs per box.

Sold in: Full box quantities only.




Grit	5" No Hole	5" No Hole
	PSA Item#	Hook & Loop Item#
P80	WWSILP80G-5NH	WWSILV80G-5NH
P100	WWSILP100G-5NH	-
P120	WWSILP120G-5NH	WWSILV120G-5NH
P150	WWSILP150G-5NH	WWSILV150G-5NH
P180	WWSILP180G-5NH	WWSILV180G-5NH
P220	WWSILP220G-5NH	WWSILV220G-5NH
P280	WWSILP280G-5NH	-
P320	WWSILP320G-5NH	WWSILV320G-5NH




↑ No Hole



↑ 5 Hole



↑ 9 Hole



↑ Multi-hole

5" A/O Discs, Film Back

- Würth Emerald brand high performance film abrasive discs
- Heat treated aluminum oxide on film, outlasts paper 10 - 1
- Open-coat design provides no-load performance
- 100% waterproof - perfect for wet sanding applications
- Ideal disc for solid surface fabrication

Packing: PSA discs are flat packed (tabbed) 100 per box.

Hook and Loop discs are flat packed 50 discs.


Sold in: Full box quantities only.

Grit	5" No Hole		5" 5 Hole
	PSA Item#	Hook & Loop Item#	PSA Item#
P60	WWEMP60G-5NH	WWEMV60G-5NH	-
P80	WWEMP80G-5NH	WWEMV80G-5NH	WWEMP80G-5H
P100	WWEMP100G-5NH	WWEMV100G-5NH	WWEMP100G-5H
P120	WWEMP120G-5NH	WWEMV120G-5NH	WWEMP120G-5H
P150	WWEMP150G-5NH	WWEMV150G-5NH	WWEMP150G-5H
P180	WWEMP180G-5NH	WWEMV180G-5NH	WWEMP180G-5H
P220	WWEMP220G-5NH	WWEMV220G-5NH	WWEMP220G-5H
P240	WWEMP240G-5NH	WWEMV240G-5NH	WWEMP240G-5H
P280	WWEMP280G-5NH	WWEMV280G-5NH	-
P320	WWEMP320G-5NH	WWEMV320G-5NH	WWEMP320G-5H
P400	WWEMP400G-5NH	WWEMV400G-5NH	-
P600	WWEMP600G-5NH	WWEMV600G-5NH	-


Grit	5" 5 Hole	5" 9 Hole	5" Multi-Hole
	Hook & Loop Item#	Hook & Loop Item #	Hook & Loop Item#
P80	WWEMV80G-5H	WWEMV80G-5H9	WWEMV80G-5MH
P100	WWEMV100G-5H	WWEMV100G-5H9	WWEMV100G-5MH
P120	WWEMV120G-5H	WWEMV120G-5H9	WWEMV120G-5MH
P150	WWEMV150G-5H	WWEMV150G-5H9	WWEMV150G-5MH
P180	WWEMV180G-5H	WWEMV180G-5H9	WWEMV180G-5MH
P220	WWEMV220G-5H	WWEMV220G-5H9	WWEMV220G-5MH
P280	WWEMV280G-5H	-	WWEMV280G-5MH
P320	WWEMV320G-5H	WWEMV320G-5H9	WWEMV320G-5MH
P400	WWEMV400G-5H	WWEMV400G-5H9	WWEMV400G-5MH
P500	-	WWEMV500G-5H9	-




↑ No Hole



↑ 6" 6 Hole



↑ 9 Hole



↑ Multi-hole

6" A/O Discs, Film Back

- Würth Emerald brand high performance film abrasive discs
- Heat treated aluminum oxide on film, outlasts paper 10 - 1
- Open-coat design provides no-load performance
- 100% waterproof – perfect for wet sanding applications
- Ideal disc for solid surface fabrication

Packing: PSA discs are 100 discs per box flat packed (tabbed)

Hook and Loop discs are flat packed 50 discs per box.

Sold in: Full box quantities only.

	6" No Hole		6" 6 Hole
Grit	PSA Item#	Hook & Loop Item#	Hook & Loop Item#
P60	-	WWEMV60G-6NH	-
P80	WWEMP80G-6NH	WWEMV80G-6NH	WWEMV80G-6H
P100	WWEMP100G-6NH	-	WWEMV100G-6H
P120	WWEMP120G-6NH	WWEMV120G-6NH	WWEMV120G-6H
P150	WWEMP150G-6NH	WWEMV150G-6NH	WWEMV150G-6H
P180	WWEMP180G-6NH	WWEMV180G-6NH	WWEMV180G-6H
P220	WWEMP220G-6NH	WWEMV220G-6NH	WWEMV220G-6H
P240	-	WWEMV240G-6NH	-
P280	-	WWEMV280G-6NH	WWEMV280G-6H
P320	WWEMP320G-6NH	WWEMV320G-6NH	WWEMV320G-6H
P400	WWEMP400G-6NH	WWEMV400G-6NH	WWEMV400G-6H

	6" 9 Hole	6" Multi-Hole
Grit	Hook & Loop Item #	Hook & Loop Item#
P80	WWEMV80G-6H9	WWEMV80G-6MH
P100	WWEMV100G-6H9	-
P120	WWEMV120G-6H9	WWEMV120G-6MH
P150	WWEMV150G-6H9	WWEMV150G-6MH
P180	WWEMV180G-6H9	WWEMV180G-6MH
P220	WWEMV220G-6H9	WWEMV220G-6MH
P240	WWEMV240G-6H9	-
P280	WWEMV280G-6H9	WWEMV280G-6MH
P320	WWEMV320G-6H9	WWEMV320G-6MH
P400	WWEMV400G-6H9	WWEMV400G-6MH
P500	WWEMV500G-6H9	-
P600	-	WWEMV600G-6MH



11" A/O Discs, Film Back



- For use with large sanders; ideal for solid surface applications
- Heat treated aluminum oxide on film, outlasts paper 10 - 1 on wood
- Open-coat design provides no-load performance
- 100% waterproof - perfect for wet sanding applications

Packing: 20 discs per box.
Sold in: Full box quantities only.

Grit	11" Hook/Loop Item#	Grit	11" Hook/Loop Item#	Grit	11" Hook/Loop Item#
P80	WWEMV80G-11NH	P150	WWEMV150G-11NH	P240	WWEMV240G-11NH
P100	WWEMV100G-11NH	P180	WWEMV180G-11NH	P280	WWEMV280G-11NH
P120	WWEMV120G-11NH	P220	WWEMV220G-11NH	P320	WWEMV320G-11NH
				P400	WWEMV400G-11NH




5" A/O Discs, J-Weight Cloth Back



- Open coat is excellent for softwoods, hardwoods, and metal and helps prevent loading of abrasive
- Tear resistant polyester/cotton cloth backing for use in applications where paper backings are not durable enough

Packing: 50 discs per box (flat packed, tabbed).
Sold in: Full box quantities only.

5" No Hole PSA			
Grit	Item#	Grit	Item#
80	WWJCLOTHP80G-5NH	150	WWJCLOTHP150G-5NH
100	WWJCLOTHP100G-5NH	180	WWJCLOTHP180G-5NH



5" & 6" A/O Net Discs



- Aluminum Oxide Closed Coat
- Dust-free sanding allows clean and healthy work environment
- Full-surface dust extraction, combined with special abrasive coating method, prevents clogging
- Tear resistant due to sturdy net backing

Packing: 50 per box. Sold in: Full box quantities only.

Grit	5" Net Disc	6" Net Disc
80	WWNET80G-5NH	WWNET80G-6NH
100	WWNET100G-5NH	WWNET100G-6NH
120	WWNET120G-5NH	WWNET120G-6NH
150	WWNET150G-5NH	WWNET150G-6NH
180	WWNET180G-5NH	WWNET180G-6NH
220	WWNET220G-5NH	WWNET220G-6NH
240	WWNET240G-5NH	WWNET240G-6NH
320	WWNET320G-5NH	WWNET320G-6NH
400	WWNET400G-5NH	WWNET400G-6NH
600	WWNET600G-5NH	WWNET600G-6NH



6" Foam Backed Discs

- Open coat aluminum oxide
- Even surface pressure provides a better finish without deep scratch
- Good for wet, contour and curved sanding

Packing: 10 discs per box.

Sold in: Full box quantities only.



6" Hook/Loop	
Grit	Item #
360	WWFOAM360G-6NH
500	WWFOAM500G-6NH
1000	WWFOAM1000G-6NH
2000	WWFOAM2000G-6NH
3000	WWFOAM3000G-6NH

Solid Surface Finishing Steps (For NET abrasives, see page 6)

Steps	Description	Matte Finish	Semi-Gloss Finish	High-Gloss Finish
1	Premium Net 180 Grit	WWNET180G-6NH	WWNET180G-6NH	WWNET180G-6NH
2	Premium Net 320 Grit	WWNET320G-6NH	WWNET320G-6NH	WWNET320G-6NH
3	Würth Foam 360 Grit	WWFOAM360G-6NH	WWFOAM360G-6NH	WWFOAM360G-6NH
4	Würth Foam 500 Grit	-	WWFOAM500G-6NH	WWFOAM500G-6NH
5	Würth Foam 1000 Grit	-	-	WWFOAM1000G-6NH
6	Würth Foam 3000 Grit	-	-	WWFOAM3000G-6NH
Finish		Gloss 15	Gloss 40	Gloss 75



6" Foam Backed Discs

- Low scratch depth (excellent finish)
- 100% waterproof, washable
- Consistent finish throughout life of disc
- Exceptional when sanding contoured surfaces, corners and sharp edges
- Ideal for solid surface and lacquer finishing. Reduces buffing time.

Packing: 10 discs per box. Sold in: Full box quantities only.




6" Hook/Loop			
Grit	Item #	Grit	Item #
240	WWVELV240G-6NH	1000	WWVELV1000G-6NH
360	WWVELV360G-6NH	1500	WWVELV1500G-6NH
500	WWVELV500G-6NH	2000	WWVELV2000G-6NH
600	WWVELV600G-6NH	3000	WWVELV3000G-6NH
800	WWVELV800G-6NH	4000	WWVELV4000G-6NH



Würth Backup Pads



Item #	Diameter	Holes	Face	Thickness	Density
WW8521125110961	5"	No Hole	Hook/Loop	3/8"	Medium
WW8521125010961	5"	No Hole	PSA	3/8"	Medium
WW8521125116961	5"	5 Hole	Hook/Loop	3/8"	Medium
WW8521125020961	5"	5 Hole	PSA	3/8"	Medium
WW8521125117961	5"	Multi-Hole	Hook/Loop	3/8"	Medium
WW8521150110961	6"	No Hole	Hook/Loop	3/8"	Medium
WW8521150010961	6"	No Hole	PSA	3/8"	Medium
WW8521120117961	6"	Multi-Hole	Hook/Loop	3/8"	Medium



9" x 11" A/O Sheets, C-Weight Paper Back




- Latex coated C-weight paper – open coat
- Excellent flexibility and moisture resistance paper with no-load performance
- Perfect choice for universal and fine sanding as well as heavy stock removal

Packing: 50 sheets per sleeve.

Sold in: Full sleeve quantities only.

Grit	Item#	Grit	Item#
P80	WWGD80G-9X11	P220	WWGD220G-9X11
P100	WWGD100G-9X11	P240	WWGD240G-9X11
P120	WWGD120G-9X11	P280	WWGD280G-9X11
P150	WWGD150G-9X11	P320	WWGD320G-9X11
P180	WWGD180G-9X11	P400	WWGD400G-9X11
		P600	WWGD600G-9X11



9" x 11" S/C Sheets, A-Weight Paper Back



- Latex coated A-weight paper – open coat
- Excellent flexibility and water resistance paper with no-load performance
- Designed primarily for lacquer sanding and finely grained wood smoothing
- Perfect for scuff sanding and removing "orange peel"
- Silicon carbide sanding sheets are the finishing room's choice for peak performance and versatility

Packing: 50 sheets per sleeve.

Sold in: Full sleeve quantities only.

Grit	Item#	Grit	Item#
P80	WWSIL80G-9X11	P220	WWSIL220G-9X11
P100	WWSIL100G-9X11	P240	WWSIL240G-9X11
P120	WWSIL120G-9X11	P280	WWSIL280G-9X11
P150	WWSIL150G-9X11	P320	WWSIL320G-9X11
P180	WWSIL180G-9X11	P400	WWSIL400G-9X11



Würth Hand Pads

- High performance abrasive nylon pads
- Made of 100% nylon webbing
- Washable for repeated use



Grit	Item #	Color	Application	Size
80	WWSNDPD80G-TAN	Tan	Heavy duty cleaning and scouring	6" x 9"
120	WWSNDPD120G-BLK	Black	For scuff sanding prior to applying paint or primer	6" x 9"
320	WWSNDPD320G-GRN	Green	Economy, general shop duty and cleaning / scuff sanding	6" x 9"
320	WWSNDPD320G-MRN	Maroon	Fine sanding between the final coat of paint/lacquer	6" x 9"
600	WWSNDPD600G-GRY	Gray	Tool cleaning, light oxidation and rust removal	6" x 9"



1, 2, & 4 Sided Block & Contour Sponges

- Perfect for scuff sanding and sealer sanding
- Flexible, non-loading aluminum oxide abrasive sponges



	4-Sided Block Sponge	2-Sided Contour Sponge	1-Sided Sponge
Grit	3-7/8" L x 2-3/4" W	3-7/8" L x 4-3/4" W	4-1/2" L x 5-1/2" W
	Item #	Item #	Item #
Medium	WWSPNGBLK-MED	WWSPNG2SDE-MED	WWSPNGFLTPD-MED
Fine	WWSPNGBLK-FINE	WWSPNG2SDE-FINE	WWSPNGFLTPD-FINE
Super Fine	WWSPNGBLK-SUPRFN	WWSPNG2SDE-SUPRFN	WWSPNGFLTPD-SUPRFN
Very Fine	-	-	WWSPNGFLTPD-VERYFN
Micro Fine	-	-	WWSPNGFLTPD-MICRFN



4-1/2" W Flexible One-Sided Foam Sponge



- Würth "Gold" brand high performance foam backed sanding sponges.
- Aluminum oxide on flexible sponge backing - open coat
- Excellent flexibility for irregular surfaces with "no load" performance
- Roll packaging in heavy duty cardboard package keeps sponges clean and dust free, ready to use
- Cut out in box makes it easy to tell when it is time to re-order
- Perforated sections make for easy tear-off
- Ideal for scuff sanding in your finishing room
- Each sponge measures 4-1/2"W x 4-7/8" L

Packing: One 25 yard roll per box.

Sold In: Full roll/box quantities only.

Cut out in box makes it easy to tell when you need to re-order.

Grit	Item#	Grit	Item#
P100	WWFLEXPAD-100G	P280	WWFLEXPAD-280G
P120	WWFLEXPAD-120G	P320	WWFLEXPAD-320G
P150	WWFLEXPAD-150G	P400	WWFLEXPAD-400G
P180	WWFLEXPAD-180G	P500	WWFLEXPAD-500G
P220	WWFLEXPAD-220G	P600	WWFLEXPAD-600G
P240	WWFLEXPAD-240G		




X-Weight Cloth Portable Belts, A/O



- Premium heat-treated aluminum oxide on X-weight cloth, open coat
- Belts are “uni-directional” and have precision built joints to eliminate any chance of uneven sanding.
- Perfect for heavy duty and all around shop use

Packing: 10 belts per box. Sold in: Full box quantities only.

Grit	3" x 21" Item#	3" x 24" Item#	4" x 24" Item#
P40	WWRBY40G-3X21	WWRBY40G-3X24	WWRBY40G-4X24
P50	WWRBY50G-3X21	WWRBY50G-3X24	WWRBY50G-4X24
P60	WWRBY60G-3X21	WWRBY60G-3X24	WWRBY60G-4X24
P80	WWRBY80G-3X21	WWRBY80G-3X24	WWRBY80G-4X24
P100	WWRBY100G-3X21	WWRBY100G-3X24	WWRBY100G-4X24
P120	WWRBY120G-3X21	WWRBY120G-3X24	WWRBY120G-4X24
P150	WWRBY150G-3X21	WWRBY150G-3X24	WWRBY150G-4X24



**X-Weight Cloth Portable Belts,
Ceramic & A/O Blend**



- Combination ceramic and aluminum oxide blended on heavy X-weight cloth for an exceptionally long lasting material that delivers a fast cut
- Ideal for low-pressure touch-to-grind applications
- Grain structure provides for the continuous renewal of the most consistent and uniform cutting edges
- The advanced technology of the ceramic grain enhances cut rates for faster and cooler stock removal on tough applications
- Great for sanding water-based finishes
- Used for bare wood, coating removal, and between-coat sanding
- For dry sanding applications only

Packing: 5 belts per box. Sold in: Full box quantities only.

Grit	3" x 21" Item#	3" x 24" Item#	4" x 24" Item#
40	-	-	WWSAPHR40G-4X24
50	WWSAPHR50G-3X21	-	WWSAPHR50G-4X24
60	WWSAPHR60G-3X21	WWSAPHR60G-3X24	WWSAPHR60G-4X24
80	WWSAPHR80G-3X21	WWSAPHR80G-3X24	WWSAPHR80G-4X24
100	-	WWSAPHR100G-3X24	WWSAPHR100G-4X24
120	WWSAPHR120G-3X21	WWSAPHR120G-3X24	WWSAPHR120G-4X24
150	WWSAPHR150G-3X21	WWSAPHR150G-3X24	WWSAPHR150G-4X24



X-Weight Cloth Edge Belts, A/O

- Premium heat-treated aluminum oxide on X-weighted heavy duty cloth for maximum wear and ruggedness
- Zero tolerance lap joint means no bumping or marking
- Patented anti-static design ensures low dust adhesion on belt, machinery and work area

Packing: 5 belts per box. Available any quantity.

Note: custom sizes edge belts available with a lead time of 10 to 14 days.
Please call 1-800-289-2237 to place your custom size order.

Grit	4" x 132" Item #	6" x 80" Item #	6" x 89" Item#
P80	WWAOC80G-4X132	WWAOC80G-6X80	WWAOC80G-6X89
P100	-	WWAOC100G-6X80	WWAOC100G-6X89
P120	WWAOC120G-4X132	WWAOC120G-6X80	WWAOC120G-6X89
P150	-	-	WWAOC150G-6X89

Grit	6" x 108" Item#	6" x 120" Item #	6" x 132" Item#
P60	-	WWAOC60G-6X120	-
P80	WWAOC80G-6X108	-	WWAOC80G-6X132
P100	WWAOC100G-6X108	-	WWAOC100G-6X132
P120	WWAOC120G-6X108	WWAOC120G-6X120	WWAOC120G-6X132
P150	WWAOC150G-6X108	-	-


ORDERING MADE EASY!

Scan Code To Install The New Würth Baer Supply Mobile App!



SCAN • CHECK • BUY





**"Zero Tolerance"
seam means
no "chatter"**

Note: Custom wide belt sizes available with a lead time of 10 to 14 days. Please call 1-800-289-2237 to place your custom sized order.

F-Weight Paper Wide Belts, A/O




- Premium heat-treated aluminum oxide on F-weighted latex impregnated paper for maximum wear, flexibility and moisture resistance
- Zero tolerance lap joint means no bumping or marking
- Patented anti-static design ensures low dust adhesion on belt, machinery and work area

Packing: 5 belts per box. Available any quantity.

Grit	37"W x 60"L Item#	37"W x 75"L Item#	43"W x 75"L Item#
P100	WWAOP100G-37x60	-	WWAOP100G-43x75
P120	WWAOP120G-37x60	WWAOP120G-37x75	WWAOP120G-43x75
P150	WWAOP150G-37x60	WWAOP150G-37x75	WWAOP150G-43x75
P180	WWAOP180G-37x60	WWAOP180G-37x75	WWAOP180G-43x75

Grit	43"W x 103"L Item#	52"W x 103"L Item#
P100	-	WWAOP100G-52X103
P120	-	WWAOP120G-52X103
P150	WWAOP150G-43x103	WWAOP150G-52x103
P180	-	WWAOP180G-52x103



**"Zero Tolerance"
seam means
no "chatter"**

F-Weight Paper Wide Belts, S/C




- Würth brand premium silicon carbide on F-weight latex coated paper
- Excellent flexibility and moisture resistance paper with no-load performance
- Zero tolerance lap joint means no bumping or marking
- Patented anti-static design ensures low dust adhesion on belt, machinery and work area

Packing: 5 belts per box. Available any quantity.

Note: custom wide belt sizes available with a lead time of 10 to 14 days. Please call 1-800-289-2237 to place your custom size order.

Grit	37"W x 60"L Item#	37"W x 75"L Item#
220	WWSCP220G-37X60	WWSCP220G-37X75



**"Zero Tolerance"
seam means
no "chatter"**

Note: Custom wide belt sizes available with a lead time of 10 to 14 days. Please call 1-800-289-2237 to place your custom sized order.

X-Weight Cloth Wide Belts, A/O



- Premium heat-treated aluminum oxide on X-weighted heavy duty cloth for maximum wear
- Patented anti-static design ensures low dust adhesion on belt, machinery and work area
- State-of-the art high performance and open coat design aluminum oxide wide belts

Grit	25"W x 60"L Item #	37"W x 60"L Item#	37"W x 75"L Item#
P80	WWAOC80G-25X60	WWAOC80G-37x60	WWAOC80G-37x75
P100	WWAOC100G-25x60	WWAOC100G-37x60	WWAOC100G-37x75
P120	WWAOC120G-25x60	WWAOC120G-37x60	WWAOC120G-37x75
P150	WWAOC150G-25x60	WWAOC150G-37x60	WWAOC150G-37x75
P180	-	WWAOC180G-37x60	WWAOC180G-37x75

Grit	43"W x 60"L Item #	43"W x 75"L Item#	52"W x 103"L Item#
P60	-	-	WWAOC60G-52x103
P80	WWAOC80G-43x60	WWAOC80G-43x75	WWAOC80G-52x103
P100	WWAOC100G-43x60	WWAOC100G-43x75	WWAOC100G-52x103
P120	WWAOC120G-43x60	WWAOC120G-43x75	WWAOC120G-52x103
P150	WWAOC150G-43x60	WWAOC150G-43x75	WWAOC150G-52x103
P180	WWAOC180G-43x60	WWAOC180G-43x75	-



Sanding Belt Cleaner, Rubber



- Smoked Rubber Cleaner is more dense than crepe-rubber products; wears down at half the rate
- Gets embedded residue out of abrasive surfaces

Item#	Size
WW89301	1-5/8" x 1-5/8" x 8-1/4"

**Get longer life
out of your belts!**



Pitch & Resin Remover Eco-Friendly, Water-Based



- VOC-free and Phosphate-free
- Concentrated (general cleaning dilution ratio 1:10) or ready to use cleaning formula dissolves and emulsifies pitch resin, oil, grease film, gum and varnish from abrasive belts, blades and bits
- Simply spray, wet abrasive area thoroughly, and then rinse clean with water and hang to dry

Item #	Type
WW0893011-1Q	Ready to Use, 1 Quart
WW0893011-1G	Concentrate, 1 Gallon

WÜRTH ABRASIVES

Würth Baer Supply

Würth Baer Supply

909 Forest Edge Drive
Vernon Hills, IL 60061
T: 800-289-2237
F: 888-558-2237
www.würthbaersupply.com

Other locations:

Bethlehem, PA
Brooklyn Heights, OH
Columbus, OH
Eagan, MN
Edison, NJ
Elk Grove Village, IL

Guilderland Ctr, NY
Harrisburg, PA
Indianapolis, IN
Kansas City, MO
Leetsdale, PA
Londonderry, NH
Middletown, OH

Oak Park, MI
Pennsauken, NJ
Pewaukee, WI
Rumford, RI
Syracuse, NY
Versailles, KY
West Haven, CT

MACHINERY TECHS IN YOUR SHOP! AVAILABLE ANYTIME YOU NEED SERVICE

Learn more about our machinery division and in-stock, pre-owned equipment including warranty at www.akinsmachinery.com

Contact us today (800) 932-4825 to set up an appointment! We will have you up and running in no time!

Just a few of the top name brands we service!

